

BUILDING **A**

BUILDING A-1

<i>SQ. FT</i>	<i>DIMENSIONS</i>	<i>HEIGHT</i>
12,500	100' x 125'	40'

<i>SOUND</i>	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
<i>POWER</i>	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
<i>AIR</i>	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
<i>STRUCTURE</i>	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING A-2

<i>SQ. FT</i>	<i>DIMENSIONS</i>	<i>HEIGHT</i>
15,000	100' x 150'	40'

<i>SOUND</i>	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
<i>POWER</i>	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
<i>AIR</i>	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
<i>STRUCTURE</i>	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING **B**

OFFICES

SQ. FT
9,100

BOARDROOM - 2 KITCHENS - AIR CONDITIONING - LOCK UP - 20 PRIVATE OFFICES - 2 PRODUCTION AREAS - WARDROBE/SET DECORATION/PROP FACILITIES - WASHING MACHINE HOOK UP

BUILDING B-1

SQ. FT	DIMENSIONS	HEIGHT
15,000	100' x 150'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING B-2

SQ. FT	DIMENSIONS	HEIGHT
15,000	100' x 150'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING B-3

SQ. FT	DIMENSIONS	HEIGHT
4,600	59' x 78'	20'

HIGH BAY LIGHTING - WARDROBE/SET DECORATION/PROP FACILITIES - LOADING BAY - LOCK UP - MILL SPACE

BUILDING C

NORTH OFFICES

SQ. FT
9,665

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
 - 14 PRIVATE OFFICES - PRODUCTION AREA -
 WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
 MACHINE HOOK UP

SOUTH OFFICES

SQ. FT
6,735

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
 - 10 PRIVATE OFFICES - PRODUCTION AREA -
 WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
 MACHINE HOOK UP

BUILDING D

OFFICES

SQ. FT
9,665

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
 - 14 PRIVATE OFFICES - PRODUCTION AREA -
 WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
 MACHINE HOOK UP

BUILDING D-1

SQ. FT	DIMENSIONS	HEIGHT
6,750	135' x 50'	26'

SOUND DOOR - ACOUSTICAL INSULATION - CLEAR SPAN - HIGH BAY LIGHTING

BUILDING D-2

SQ. FT	DIMENSIONS	HEIGHT
11,520	144' x 80'	16'

STORAGE - LEVEL AND DOCK LOADING - FIRST AID ROOM - HIGH BAY LIGHTING - MIL SPACE WITH 110 & 220 OUTLETS

BUILDING E

OFFICES

SQ. FT
4,500

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
- 8 PRIVATE OFFICES - PRODUCTION AREA -
WARDROBE/SET DECORATION/PROP FACILITIES

BUILDING E-1

SQ. FT	DIMENSIONS	HEIGHT
7,900	79' x 100'	14'

LOCK UP - WARDROBE/SET DECORATION/PROP FACILITIES - LEVEL AND DOCK LOADING - HIGH BAY FLUORESCENT LIGHTING
MIL SPACE WITH 110 & 220 OUTLETS - WASHING MACHINE HOOK UP

BUILDING F

BUILDING F-1

SQ. FT	DIMENSIONS	HEIGHT
5,740	89' x 42'	20'

LOCK UP - WARDROBE/SET DECORATION/PROP FACILITIES - LEVEL AND DOCK LOADING - HIGH BAY FLUORESCENT LIGHTING
MILL SPACE WITH 110 & 220 OUTLETS - WASHING MACHINE HOOK UP - CLEAR SPAN - PRIVATE OFFICES - STORAGE

BUILDING F-2

SQ. FT	DIMENSIONS	HEIGHT
7,905	85' x 75'	16'

LOCK UP - WARDROBE/SET DECORATION/PROP FACILITIES - LEVEL AND DOCK LOADING - HIGH BAY FLUORESCENT LIGHTING
MILL SPACE WITH 110 & 220 OUTLETS - WASHING MACHINE HOOK UP - CLEAR SPAN - PRIVATE OFFICES - STORAGE

BUILDING **G**

OFFICES

SQ. FT
10,300

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
 - 10 PRIVATE OFFICES - PRODUCTION AREA -
 WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
 MACHINE HOOK UP - CHANGE ROOM

BUILDING G-1

SQ. FT	DIMENSIONS	HEIGHT
18,,040	110' x 164'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING J

BUILDING J-1

<i>SQ. FT</i>	<i>DIMENSIONS</i>	<i>HEIGHT</i>
15,000	100' x 150'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING J- 2

<i>SQ. FT</i>	<i>DIMENSIONS</i>	<i>HEIGHT</i>
15,000	100' x 150'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING J-3

<i>SQ. FT</i>	<i>DIMENSIONS</i>	<i>HEIGHT</i>
18,000	120' x 150'	40'

SOUND	ACOUSTICAL SOUND - 16'x 16' SOUND DOOR - BUILDING ACOUSTICALLY DESIGNED, WITH TILT UP CONCRETE WALLS
POWER	DIRECTOR'S CONTROL PANELS, 4 PANELS - 40 WATTS PER SQ. FT. - 3 PHASE POWER, SERVICED BY 2 LOCATIONS WITHIN THE STAGE, 4 CAMLOCKS EACH
AIR	MECHANICAL SMOKE EXHAUST FANS - FRESH AIR EXCHANGE / HEATING
STRUCTURE	CLEATS - PROTECTIVE ROLL UP DOORS - WOODEN CATWALK - TRUSS SYSTEM FOR LIGHTS - CLEARS PAN - LEVEL AND DOCK LOADING - TRUSS LOAD-AVERAGE 40 LBS/SQ. FT., MAX POINT LOAD PER TRUSS 3500 LBS / TRUSS

BUILDING K

OFFICES NORTH

SQ. FT
5,500

BOARDROOM - KITCHEN - AIR CONDITIONING - 10
PRIVATE OFFICES - PRODUCTION AREA - OPEN CONCEPT
SPACE

OFFICES SOUTH

SQ. FT
5,500

BOARDROOM - KITCHEN - AIR CONDITIONING - MAKE-UP
- 4 PRIVATE OFFICES - PRODUCTION AREA - OPEN
CONCEPT SPACE

BUILDING K-1

SQ. FT	DIMENSIONS	HEIGHT
18,000	120' x 150'	40'

LOCK UP - WARDROBE/SET DECORATION/PROP FACILITIES - LEVEL AND DOCK LOADING - HIGH BAY FLUORESCENT LIGHTING
MILL SPACE WITH 110 & 220 OUTLETS - WASHING MACHINE HOOK UP - CLEAR SPAN - PRIVATE OFFICES - STORAGE

BUILDING L

EFFECTS STAGE

SQ. FT	DIMENSIONS	HEIGHT
10,000	144' x 167'	24'

OFFICE AREA - MILL SPACE CAN HANDLE CONSTRUCTION EQUIPMENT AND WIRED WITH 110 AND 220 OUTLETS

BUILDING M

UPPER OFFICES

SQ. FT
4,320

BOARDROOM - KITCHEN - AIR CONDITIONING - 6
PRIVATE OFFICES - PRODUCTION AREA - OPEN CONCEPT
SPACE

LOWER OFFICES

SQ. FT
4,000

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
- 4 PRIVATE OFFICES - PRODUCTION AREA -
WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
MACHINE HOOK UP - CHANGE ROOM

BUILDING M-1

SQ. FT	DIMENSIONS	HEIGHT
10,000	144' x 167'	24'

3 LOADING DOCS - MECHANICAL SMOKE EXHAUST FAN - TRUSS SYSTEM FOR LIGHTS - PROTECTIVE ROLL UP DOORS - FRESH
AIR EXCHANGE AND HEATING

BUILDING N

UPPER OFFICES

SQ. FT
5,000

BOARDROOM - KITCHEN - 6 PRIVATE OFFICES -
PRODUCTION AREA - AIR CONDITIONING

LOWER OFFICES

SQ. FT
10,000

BOARDROOM - KITCHEN - AIR CONDITIONING - LOCK UP
- 4 PRIVATE OFFICES - PRODUCTION AREA -
WARDROBE/SET DECORATION/PROP FACILITIES - WASHING
MACHINE HOOK UP - CHANGE ROOM

BUILDING X

OFFICES

SQ. FT
2,820

BOARDROOM - KITCHEN - AIR CONDITIONING -
PRIVATE OFFICES - PRODUCTION AREA - OPEN CONCEPT
SPACE

BUILDING X-1

SQ. FT	DIMENSIONS	HEIGHT
14,630	N/A	10' ~ 25'

LOCK UP - WARDROBE/SET DECORATION/PROP FACILITIES - LEVEL LOADING - HIGH BAY FLUORESCENT LIGHTING
MILL SPACE WITH 110 & 220 OUTLETS